


Special Application Antenna

The SAMP250-325 antenna is designed for ground sensor applications with a weatherproof base that allows for quick push-pull “pop-on” installation.



Made in the USA
ISO 9001:2008 Certified
(1Y00600)

P.O. Box 909, Palmetto, Florida 34220-0909
Tel: 941-723-2833 • Fax: 941-723-1628
www.hascall-denke.com

Special Application Antenna


Specifications

ELECTRICAL:

| | |
|---------------------------|---------------------------------|
| Frequency Range: | 250-325 MHz |
| Gain: | -11 dBi Nominal |
| VSWR: | 2.5:1 Maximum |
| Input Impedance: | 50 Ω Nominal |
| Power: | 2 Watts |
| Polarization: | Vertical |
| Radiation Pattern: | Azimuth: 360° Elevation: 90° |
| Input Connector: | TNC Male |

MECHANICAL:

| | |
|------------------------|----------------------|
| Overall Height: | 11 in. (0.28 m) |
| Net Weight: | 0.35 lb. (0.15 kg) |
| Color: | Black/Green/Tan/Grey |
| Mounting: | TNC Male Connector |



**All information on this product and the product itself is the property of and is proprietary to Hascall-Denke.

**Specifications are subject to change without prior notice.



Made in the USA
ISO 9001:2008 Certified
(1Y00600)

P.O. Box 909, Palmetto, Florida 34220-0909
Tel: 941-723-2833 • Fax: 941-723-1628
www.hascall-denke.com