

Tactical Ground Plane Antenna



The TDGP250-325 antenna is designed for field expedient installations.

The radiator and ground radials are constructed of stainless steel spring materials then urethane coated black, green, tan or grey.

On this antenna there is a base matching unit provided for broadband operation as specified.




Tactical Ground Plane Antenna

Specifications

ELECTRICAL:

Frequency Range:	250-325 MHz
Gain:	0 dBi Nominal
VSWR:	< 2.0:1 Typical 2.5:1 Maximum
Input Impedance:	50 Ω Nominal
Power:	2 Watts
Polarization:	Vertical
Radiation Pattern:	Azimuth: 360° Elevation: 0 ~ 10°
Input Connector:	TNC Male



MECHANICAL:

Overall Height:	14 in. (0.36 m)
Ground Plane Diameter:	17 in. (0.43 m)
Number Of Elements:	4 Ground Radials and 1 Middle
Net Weight:	0.5 lb. (0.23 kg)
Color:	Black/Green/Tan/Grey
Mounting:	TNC Male Connector

**All information on this product and the product itself is the property of and is proprietary to Hascall-Denke.

**Specifications are subject to change without prior notice.



Made in the USA
ISO 9001:2008 Certified
(1Y00625)

P.O. Box 909, Palmetto, Florida 34220-0909
Tel: 941-723-2833 • Fax: 941-723-1628
www.hascall-denke.com