


Marine Broadband Antenna



The MADP30X17AB broadband antenna designed to be used with military, private, or commercial applications where reliability is needed most. This antenna works with all radios within the 30-512 MHz band.

Robust and tough, this antenna is housed in a thick fiberglass radome double reinforced at the base and is constructed from corrosion resistant materials for reliability in the harshest environments.

- **Optimum Performance with Minimum Radiator Length**
- **Robust Construction**



Marine Broadband Antenna

Specifications

ELECTRICAL:

Frequency Range:	30-512 MHz
Gain:	-15 dBi @ 30 MHz -2 dBi @ 88 MHz 5 dBi @ 116 MHz 3 dBi @ 512 MHz
VSWR:	3.5:1 Max @ 30-90 MHz 2.5:1 Max @ 155-512 MHz
Input Impedance:	50 Ω Nominal
Power:	50 Watts
Polarization:	Vertical
Radiation Pattern:	Azimuth: 360° Elevation: 90°
Input Connector:	Type N Female

MECHANICAL:

Overall Height:	40 in. (1.02 m)
Net Weight:	8 lb. (3.63 kg)
Color:	Black/Green/Tan/Grey
Mounting:	NATO Standard Four .5" (12.7 mm) Holes, equally spaced on a 4.5" (114.3 mm) Dia. BHC

****All information on this product and the product itself is the property of and is proprietary to Hascall-Denke.**

****Specifications are subject to change without prior notice.**



Made in the USA
ISO 9001:2008 Certified
(1Y06850)

P.O. Box 909, Palmetto, Florida 34220-0909
Tel: 941-723-2833 • Fax: 941-723-1628
www.hascall-denke.com